

# QUFLORA<sup>®</sup>

## PEDIATRIC

### Chewable Tablets

#### 0.25 mg Fluoride

Supplement Facts		
	Serving Size: 1 Tablet Servings per Container: 30	
	Amount per Serving	% Daily Value*
Vitamin A (as Acetate)	1,200 IU	24%
Vitamin C (as Ascorbic Acid)	60 mg	100%
Vitamin D3 (as Cholecalciferol)	400 IU	100%
Vitamin E (as DL-Alpha Tocopheryl Acetate)	15 IU	50%
Thiamin (as Thiamine HCl, Vitamin B1)	1.2 mg	80%
Riboflavin (Vitamin B2)	1.3 mg	76%
Niacin (as Niacinamide)	5 mg	25%
Vitamin B6 (as Pyridoxine HCl)	1.5 mg	75%
Folate (as 200 mcg Quatrefolic <sup>®</sup> (6S-5-methyltetrahydrofolic acid, glucosamine salt, molar equivalent to 108 mcg of Folic Acid), and 100 mcg of folic acid)	208 mcg	52%
Vitamin B12 (as Cyanocobalamin)	4 mcg	67%
Magnesium (as Magnesium Oxide)	15 mg	4%
Copper (as Cupric Sulfate)	1 mg	50%
Fluoride (as Sodium Fluoride)	0.25 mg	†
*%Daily Value for Adults and Children 4 or more years of age		
† Daily Value not established		

**Other Ingredients:** Citric acid, fumed silica, magnesium stearate, microcrystalline cellulose, natural grape flavor, silicon dioxide, stearic acid, sucralose, sucrose and xylitol.

**INDICATIONS AND USAGE:** Quflora<sup>™</sup> Pediatric Chewable Tablets with 0.25 mg Fluoride is a prescription dietary fluoride supplement providing twelve essential vitamins and minerals.

**CONTRAINDICATIONS:** Quflora<sup>™</sup> Pediatric Chewable Tablets with 0.25 mg Fluoride should not be used by patients with a known history of hypersensitivity to any of the listed ingredients.

**PRECAUTIONS:**

**General:** The suggested dose should not be exceeded, since dental fluorosis may result from continued ingestion of large amounts of fluoride. Do not eat or drink dairy products within one hour of fluoride administration. Incompatibility of fluoride with dairy foods has been reported due to formation of calcium fluoride which is poorly absorbed. Your healthcare practitioner can prescribe the correct dosage.

**Folic Acid:** Folic Acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B12 is deficient. Folic acid in doses above 0.1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

**ADVERSE REACTIONS:** Allergic rash and other idiosyncrasies have been rarely reported. Call your doctor for medical advice about side effects. You may report side effects or obtain product information by calling Carwin Pharmaceutical Associates, LLC at 1-844-700-5011.

**WARNINGS:** Keep out of the reach of children. In case of accidental overdose, seek professional emergency assistance or contact a Poison Control Center immediately. This product should be chewed and is not recommended for children under age 4.

**DOSAGE AND ADMINISTRATION:** One tablet daily or as prescribed by your healthcare practitioner. Each tablet contains 0.25 mg fluoride ion (F) from 0.55 mg sodium fluoride (NaF).

**DESCRIPTION:** Quflora<sup>™</sup> Pediatric Chewable Tablets with 0.25 mg Fluoride is a yellow round tablet imprinted "103".

**HOW SUPPLIED:** Quflora<sup>™</sup> Pediatric Chewable Tablets with 0.25 mg Fluoride available in child-resistant bottles of 30 (Product Code: 15370-103-30).

**Rx Only**

**STORAGE:** Store at controlled room temperature 20° C to 25° C (68° F to 77° F), excursions permitted between 15° C and 30° C (59° F and 86° F). Protect from light, moisture and excessive heat.

**KEEP THIS PRODUCT OUT OF REACH OF CHILDREN.**

**TAMPER EVIDENT:** Do not use if seal is broken or missing.



Quatrefolic<sup>®</sup> is a registered trademark of Gnosis, SpA. Covered by one or more claims of U.S. Patent # 7,947,662 CAS# 1181972-37-1

Manufactured for:



Carwin Pharmaceutical Associates, LLC  
Hazlet, NJ 07730

www.carwinpharma.com

Made in Canada

# QufLORA<sup>®</sup>

## PEDIATRIC

### Chewable Tablets

0.5 mg Fluoride

Supplement Facts	Serving Size: 1 Tablet Servings per Container: 30	
	Amount per Serving	% Daily Value*
Vitamin A (as Acetate)	1,200 IU	24%
Vitamin C (as Ascorbic Acid)	60 mg	100%
Vitamin D3 (as Cholecalciferol)	400 IU	100%
Vitamin E (as DL-Alpha Tocopheryl Acetate)	15 IU	50%
Thiamin (as Thiamine HCl, Vitamin B1)	1.2 mg	80%
Riboflavin (Vitamin B2)	1.3 mg	76%
Niacin (as Niacinamide)	5 mg	25%
Vitamin B6 (as Pyridoxine HCl)	1.5 mg	75%
Folate (as 200 mcg Quatrefolic® (6S-5-methyltetrahydrofolic acid, glucosamine salt, molar equivalent to 108 mcg of Folic Acid), and 100 mcg of folic acid)	208 mcg	52%
Vitamin B12 (as Cyanocobalamin)	4 mcg	67%
Magnesium (as Magnesium Oxide)	15 mg	4%
Copper (as Cupric Sulfate)	1 mg	50%
Fluoride (as Sodium Fluoride)	0.5 mg	†
*%Daily Value for Adults and Children 4 or more years of age		
† Daily Value not established		

**Other Ingredients:** Citric acid, fumed silica, magnesium stearate, microcrystalline cellulose, natural grape flavor, silicon dioxide, stearic acid, sucralose, sucrose and xylitol.

**INDICATIONS AND USAGE:** QufLora™ Pediatric Chewable Tablets with 0.5 mg Fluoride is a prescription dietary fluoride supplement providing twelve essential vitamins and minerals.

**CONTRAINDICATIONS:** QufLora™ Pediatric Chewable Tablets with 0.5 mg Fluoride should not be used by patients with a known history of hypersensitivity to any of the listed ingredients.

**PRECAUTIONS:**

**General:** The suggested dose should not be exceeded, since dental fluorosis may result from continued ingestion of large amounts of fluoride. Do not eat or drink dairy products within one hour of fluoride administration. Incompatibility of fluoride with dairy foods has been reported due to formation of calcium fluoride which is poorly absorbed. Your healthcare practitioner can prescribe the correct dosage.

**Folic Acid:** Folic Acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B12 is deficient. Folic acid in doses above 0.1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

**ADVERSE REACTIONS:** Allergic rash and other idiosyncrasies have been rarely reported. Call your doctor for medical advice about side effects. You may report side effects or obtain product information by calling Carwin Pharmaceutical Associates, LLC at 1-844-700-5011.

**WARNINGS:** Keep out of the reach of children. In case of accidental overdose, seek professional emergency assistance or contact a Poison Control Center immediately. This product should be chewed and is not recommended for children under age 4.

**DOSAGE AND ADMINISTRATION:** One tablet daily or as prescribed by your healthcare practitioner. Each tablet contains 0.5 mg fluoride ion (F) from 1.1 mg sodium fluoride (NaF).

**DESCRIPTION:** QufLora™ Pediatric Chewable Tablets with 0.5 mg Fluoride is a yellow round tablet imprinted "104".

**HOW SUPPLIED:** QufLora™ Pediatric Chewable Tablets with 0.5 mg Fluoride available in child-resistant bottles of 30 (Product Code: 15370-104-30).

**Rx Only**

**STORAGE:** Store at controlled room temperature 20° C to 25° C (68° F to 77° F), excursions permitted between 15° C and 30° C (59° F and 86° F). Protect from light, moisture and excessive heat.

**KEEP THIS PRODUCT OUT OF REACH OF CHILDREN.**

**TAMPER EVIDENT:** Do not use if seal is broken or missing.



Quatrefolic® is a registered trademark of Gnosis, SpA. Covered by one or more claims of U.S. Patent # 7,947,662 CAS# 1181972-37-1

Manufactured for:



Carwin Pharmaceutical Associates, LLC  
Hazlet, NJ 07730

www.carwinpharma.com

Made in Canada

# QUFLO<sup>®</sup>RA

## PEDIATRIC

### Chewable Tablets

1 mg Fluoride

Supplement Facts	Serving Size: 1 Tablet Servings per Container: 30	
	Amount per Serving	% Daily Value*
Vitamin A (as Acetate)	1,200 IU	24%
Vitamin C (as Ascorbic Acid)	60 mg	100%
Vitamin D3 (as Cholecalciferol)	400 IU	100%
Vitamin E (as DL-Alpha Tocopheryl Acetate)	15 IU	50%
Thiamin (as Thiamine HCl, Vitamin B1)	1.2 mg	80%
Riboflavin (Vitamin B2)	1.3 mg	76%
Niacin (as Niacinamide)	5 mg	25%
Vitamin B6 (as Pyridoxine HCl)	1.5 mg	75%
Folate (as 200 mcg Quatrefolic® ((6S-5-methyltetrahydrofolic acid, glucosamine salt, molar equivalent to 108 mcg of Folic Acid), and 100 mcg of folic acid)	208 mcg	52%
Vitamin B12 (as Cyanocobalamin)	4 mcg	67%
Magnesium (as Magnesium Oxide)	15 mg	4%
Copper (as Cupric Sulfate)	1 mg	50%
Fluoride (as Sodium Fluoride)	1 mg	†
*%Daily Value for Adults and Children 4 or more years of age		
† Daily Value not established		

**Other Ingredients:** Citric acid, fumed silica, magnesium stearate, microcrystalline cellulose, natural grape flavor, silicon dioxide, stearic acid, sucralose, sucrose and xylitol.

**INDICATIONS AND USAGE:** Quflora™ Pediatric Chewable Tablets with 1 mg Fluoride is a prescription dietary fluoride supplement providing twelve essential vitamins and minerals.

**CONTRAINDICATIONS:** Quflora™ Pediatric Chewable Tablets with 1 mg Fluoride should not be used by patients with a known history of hypersensitivity to any of the listed ingredients.

**PRECAUTIONS:**

**General:** The suggested dose should not be exceeded, since dental fluorosis may result from continued ingestion of large amounts of fluoride. Do not eat or drink dairy products within one hour of fluoride administration. Incompatibility of fluoride with dairy foods has been reported due to formation of calcium fluoride which is poorly absorbed. Your healthcare practitioner can prescribe the correct dosage.

**Folic Acid:** Folic Acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B12 is deficient. Folic acid in doses above 0.1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

**ADVERSE REACTIONS:** Allergic rash and other idiosyncrasies have been rarely reported. Call your doctor for medical advice about side effects. You may report side effects or obtain product information by calling Carwin Pharmaceutical Associates, LLC at 1-844-700-5011.

**WARNINGS:** Keep out of the reach of children. In case of accidental overdose, seek professional emergency assistance or contact a Poison Control Center immediately. This product should be chewed and is not recommended for children under age 4.

**DOSAGE AND ADMINISTRATION:** One tablet daily or as prescribed by your healthcare practitioner. Each tablet contains 1 mg fluoride ion (F) from 2.2 mg sodium fluoride (NaF).

**DESCRIPTION:** Quflora™ Pediatric Chewable Tablets with 1 mg Fluoride is a yellow round tablet imprinted "105".

**HOW SUPPLIED:** Quflora™ Pediatric Chewable Tablets with 1 mg Fluoride available in child-resistant bottles of 30 (Product Code: 15370-105-30).

**Rx Only**

**STORAGE:** Store at controlled room temperature 20° C to 25° C (68° F to 77° F), excursions permitted between 15° C and 30° C (59° F and 86° F). Protect from light, moisture and excessive heat.

**KEEP THIS PRODUCT OUT OF REACH OF CHILDREN.**

**TAMPER EVIDENT:** Do not use if seal is broken or missing.



Quatrefolic® is a registered trademark of Gnosis, SpA. Covered by one or more claims of U.S. Patent # 7,947,662 CAS# 1181972-37-1

Manufactured for:



Carwin Pharmaceutical Associates, LLC  
Hazlet, NJ 07730

www.carwinpharma.com

Made in Canada